|   | Description of material   | Source                              | Material Cost   | Installed<br>cost  | Maintenance<br>Costs  | Main<br>advantage  | Main dis-<br>advantage  | Available in wide variety styles/colors                                   |
|---|---|-------------------------------------|---|--|---|--|---|---|
| Solid<br>Hardwood<br>Flooring                   | 100% natural<br>wood: Oak,<br>Maple, Hickory,<br>Cherry, Walnut           | All natural                         | \$5-\$15 sq/ft,<br>up to \$14 for<br>exotic             | \$7-\$23 sq/ft installed                                   | \$1.50-\$7.00<br>sq/ft to refinish<br>every 7-10 years                              | Can refinish & color change many times, classy looking           | Can be damaged<br>by moisture,<br>skills to install                     | Wide variety prefinished & unfinished                                     |
| Engineered<br>Wood<br>Flooring                  | Top layer of<br>hardwood<br>adhered to<br>plywood base                    | All natural except for adhesive     | \$3-\$5 sq/ft   | \$6-\$15 sq/ft installed                                   | \$1.50-\$7.00<br>sq/ft to refinish<br>every 7-10 years<br>(if refinishable)         | Humidity<br>resistant, DIY<br>install on any<br>type of subfloor | Most products<br>not as long<br>lasting as<br>hardwood                  | Wide variety<br>prefinished &<br>unfinished                               |
| Solid<br>Bamboo<br>Flooring                     | Bamboo strips<br>adhered together<br>into planks                          | All natural except for adhesive     | \$3-\$8 sq/ft   | \$7-\$12 sq/ft installed                                   | \$1.50-\$7.00<br>sq/ft to refinish<br>every 7-10 years<br>(if refinishable)         | EZ install/maint,<br>durable, refinish,<br>natural look          | Can be damaged<br>by moisture,<br>VOC's in glue                         | Wide variety prefinished & unfinished                                     |
| Engineered &<br>Strand Woven<br>Bamboo          | bamboo layer<br>on plywood base<br>/molded pulp                           | All natural except for adhesive     | \$5-\$8 sq/ft   | \$9-\$12 sq/ft installed                                   | \$1.50-\$7.00<br>sq/ft to refinish<br>every 7-10 years<br>( <i>if</i> refinishable) | Easy maint,<br>more durable<br>than solid<br>bamboo              | Some can't be refinished / VOC's, not as natural looking                | Wide variety prefinished & unfinished                                     |
| Cork<br>Flooring                                | Top wear layer<br>adhered to cork<br>(tree bark) back                     | All natural except for adhesive     | \$3-\$8 sq/ft   | \$5-\$11 sq/ft installed                                   | Reseal every 1-5<br>years, refinish<br>every 5-7 years                              | Soft, insulates,<br>hygienic, eco,<br>can refinish               | Moisture can<br>damage, can<br>puncture/scratch                         | Wide variety prefinished & unfinished                                     |
| Laminate<br>Flooring<br>e.g. Pergo              | Photographic &<br>wear layer over<br>dense fiber<br>board                 | Natural,<br>synthetic &<br>adhesive | \$1-\$7 sq/ft   | \$2-\$12 sq/ft installed                                   | Very low maint<br>costs, sweep,<br>vacuum, sponge<br>wipe, cleaner                  | Affordable, easy<br>to install & low<br>maintenance              | VOC's possible,<br>patterns repeat,<br>not as classy<br>looking as wood | Wide variety of<br>replicated stone,<br>ceramic, wood,<br>tile, concrete  |
| Vinyl Sheet<br>Flooring                         | PVC- synthetic<br>plastic & photo-<br>graphic layer                       | All synthetic                       | \$1-\$5 sq/ft   | \$2-\$7 sq/ft installed                                    | Very low maint<br>costs, sweep,<br>vacuum, sponge<br>wipe, cleaner                  | Very low cost,<br>DIY install,<br>water resistant                | VOC's possible,<br>can get gouged,<br>can change color                  | Wide variety of<br>replicated stone,<br>ceramic, wood,<br>tile, concrete  |
| Vinyl Tile<br>Flooring<br>(regular & VCT)       | PVC- synthetic<br>plastic & photo-<br>graphic layer                       | All synthetic                       | \$1-\$5 sq/ft   | \$2-\$7 sq/ft installed                                    | Very low maint<br>costs, sweep,<br>vacuum, sponge<br>wipe, cleaner                  | Very low cost,<br>easy DIY install,<br>water resistant           | VOC's possible,<br>can get gouged<br>(but easy to<br>replace tiles)     | Wide, variety of<br>replicated stone,<br>ceramic, wood,<br>tile, concrete |
| Luxury<br>Vinyl Tile<br>(LVT)                   | Same as vinyl<br>but thicker with<br>added film<br>protective layer       | All synthetic                       | \$2-\$7 sq/ft   | \$5-\$15 sq/ft installed                                   | Very low maint<br>costs, sweep,<br>vacuum, sponge<br>wipe, cleaner                  | Very durable,<br>easy to install &<br>remove, vast<br>selection  | VOC's possible,<br>can get gouged<br>(but easy to<br>replace tiles)     | Wide variety of<br>replicated stone,<br>ceramic, wood,<br>tile, concrete  |
| NuCore  | Luxury vinyl on<br>waterproof core<br>& cork backing,<br>looks like wood  | Synthetic & natural materials       | \$2.40-\$3.80<br>sq/ft                                  | \$5.40-\$11.80<br>sq/ft installed                          | Very low maint<br>costs, sweep,<br>vacuum, sponge<br>wipe, cleaner                  | Waterproof,<br>durable, very<br>easy to install                  | VOC's possible,<br>can get gouged<br>(but easy to<br>replace tiles)     | Wide variety of<br>replicated wood<br>& tile                              |
| <u>Linoleum</u><br><u>Flooring</u>              | Wood flour,<br>cork dust &<br>linseed oil                                 | All natural                         | \$2-\$5 sq/ft   | \$7-\$12 sq/ft installed                                   | \$1.50-\$7.00<br>sq/ft to refinish<br>every few years                               | Durable, soft,<br>eco friendly, no<br>VOC's, price               | Can get water<br>damage, can get<br>gouged                              | Less variety than vinyl   |
| Ceramic Tile<br>Flooring                        | Baked clay<br>& shale   | All natural                         | \$5-\$15 sq/ft  | Most is \$11-\$23<br>(high up to \$112<br>sq/ft) installed | \$4.00-\$10.00<br>sq/ft to refinish   | Water resistant,<br>hygienic, mostly<br>affordable               | Expensive, hard to install/remove ,grout can stain                      | Wide variety of<br>glazed, quarry,<br>teracotta                           |
| Porcelain Tile Flooring                         | Baked clay<br>mineral kaolinite   | All natural                         | \$3-\$7.50<br>sq/ft                                     | \$12-\$18.00<br>sq/ft installed                            | \$4.00-\$10.00<br>sq/ft to refinish   | Harder & more<br>water resistant<br>than ceramic                 | Expensive, hard to install/remove ,grout can stain                      | wide<br>variety   |
| Stone Tile<br>Flooring                          | Granite, marble,<br>slate, limestone,<br>travertine                       | All natural                         | Most \$7-\$20<br>sq/ft (up to \$100<br>sq/ft)           | Most \$13-\$28<br>sq/ft (up to \$110<br>sq/ft) installed   | \$5.00-\$8.00<br>sq/ft to refinish<br>& reseal                                      | Natural, durable,<br>hygienic, low<br>maintenance                | Expensive, hard<br>to install/remove<br>,grout can stain                | Varieties of<br>marble, granite<br>limestone&more                         |
| Carpet<br>(most common<br>flooring type)        | Wool, nylon,<br>acrylic,polyester<br>,polypropylene                       | Wool: all natural others: synthetic | \$2-\$12 sq/ft  | \$2.50-\$14<br>sq/ft installed<br>installed                | 18-36 cents sq/ft<br>for carpet steam<br>cleaning                                   | Mostly afford-<br>able, comfort,<br>warmth, quiet                | Need pro install,<br>noteasy to clean,<br>least hygienic                | The most variety of any type of flooring                                  |
| Polished<br>Concrete                            | Concrete floor<br>polished to high<br>gloss                               | All Natural                         | \$2-\$15 sq/ft to<br>polish/design<br>existing concrete | \$2-\$6 sq/ft<br>basic, up to \$15<br>for designed         | \$2-\$6 sq/ft to<br>resurface,<br>seldom required                                   | Low cost, very<br>low maintenance<br>,extreme durable            | Hard, cold,<br>possible to crack  | Wide variety<br>w/décor stains,<br>dyes & sawcuts                         |
| Terrazzo<br>Cement/<br>Aggretex                 | Portland cement<br>& marble (glass<br>metal, stones,<br>shells for décor) | All Natural                         | <b>Terrazzo</b><br>\$20-\$70 sq/ft                      | <b>Terrazzo</b><br>\$25-\$90 sq/ft<br>installed            | Terrazzo<br>\$2.00-\$5.00<br>sq/ft every 5 or<br>so years restore                   | very low<br>maintenance,<br>extreme durable                      | More costly than<br>just polishing<br>concrete, cold                    | Wide variety,<br>customized<br>design                                     |
| Rubber Tile                                     | Latex rubber<br>derived from<br>rubber tree                               | All Natural                         | \$2.00-\$12.00<br>sq/ft for tiles                       | \$4.00-\$16.00<br>sq/ft installed                          | Very low cost of detergent & floor cleaner  | Soft, durable,<br>water resistant,<br>quiet, ez clean            | Water can leak<br>through seams   | Wide variety of colors & textures   |
| Epoxy (solid,<br>solvent based,<br>water based) | (similar to paint)<br>bonds to surface<br>as plastic coat                 | Synthetic                           | \$2.00-\$5.00<br>sq/ft for epoxy                        | \$3-\$12 sq/ft installed                                   | Very low cost of<br>detergent &<br>floor cleaner                                    | Very easy to<br>clean, easy low<br>cost to maintain              | Labor intensive<br>to apply, not all<br>concrete holds it               | Wide range of design options  |
| Plastic Tile                                    | Plastic such as<br>PVC,Polypropyl<br>ene/ethylene                         | Synthetic                           | Material cost<br>included with<br>installed cost        | \$2-\$20 sq/ft<br>installed                                | Very low cost of<br>detergent &<br>floor cleaner                                    | EZ clean/maint.<br>Durable, works<br>over carpet                 | VOC's, water<br>can leak through<br>seams                               | Wide variety of color & designs   |

|   | Suitable<br>subfloor   | Easy to<br>install<br>/DIY  | Installation<br>methods   | Can be floated<br>(unattached to<br>floor)             | How Easy<br>to clean                      | Easy to<br>maintain   | How to clean & maintain   | Suitable<br>climate  |
|---|--|---|---|--|---|---|---|--|
| Solid<br>Hardwood<br>Flooring                   | Plywood for 3/4"/<br>plywood or con-<br>crete (not below<br>ground)for 5/16" | Prefinished<br>possible to DIY/<br>site finished<br>needs pro install | Tongue & groove: Nail, staple or glue down                          | Floating floor<br>not<br>recommended                   | Easy to clean,<br>dry up spills<br>ASAP   | Easy to maintain<br>;must take care<br>to avoid scuffs<br>& scratches | Broom, damp<br>wipe, dry spills<br>ASAP, refinish<br>every 7-10 years   | Indoor<br>controlled<br>climate, dry                       |
| Engineered<br>Wood<br>Flooring                  | Plywood,<br>concrete, any<br>type of old but<br>level floor                  | Easy to install as<br>click-lock<br>floating floor                    | DIY Click-lock<br>or tongue &<br>groove nail,<br>staple or glue     | Float over any<br>material except<br>carpet            | Easy to clean,<br>dry up spills<br>ASAP   | Easy to maintain<br>;must take care<br>to avoid scuffs<br>& scratches | Broom, damp<br>wipe, dry spills<br>ASAP (some<br>can refinish)          | Any covered<br>area including<br>below ground<br>basements |
| Solid<br>Bamboo<br>Flooring                     | Level plywood<br>or concrete<br>subfloor                                     | Easy to install as<br>click-lock<br>floating floor                    | Tongue &<br>groove: Nail,<br>staple ,glue,<br>click lock            | Float over any<br>material except<br>carpet            | Easy to clean (like hardwood)             | Easy to maintain<br>;must take care<br>to avoid scuffs<br>& scratches | Broom, vacuum,<br>dry spills ASAP,<br>refinish<br>periodically          | Indoor<br>controlled<br>climate, dry                       |
| Engineered /<br>Strand Woven<br>Bamboo          | Level plywood<br>or concrete<br>subfloor                                     | Easy to install as<br>click-lock<br>floating floor                    | DIY click lock<br>floating floor/<br>glue, nail or<br>staple        | Float over any<br>material except<br>carpet            | Easy to clean (like hardwood)             | Easy to maintain<br>;must take care<br>to avoid scuffs<br>& scratches | Broom, vacuum,<br>dry spills ASAP,<br>refinish<br>periodically          | Indoor<br>controlled<br>climate, dry                       |
| Cork<br>Flooring                                | Level plywood<br>or concrete<br>subfloor                                     | Easy DIY peel<br>& stick or click<br>lock tiles                       | Glue down,<br>adhesive, peel<br>& stick, click                      | Float over any<br>material except<br>carpet            | Easy to clean (like hardwood)             | Easy to maintain<br>;must take care<br>to avoid scuffs<br>& scratches | Broom, vacuum,<br>dry spills ASAP,<br>reseal 1-2 years,<br>refinish 5-7 | Indoor<br>controlled<br>climate, dry                       |
| Laminate<br>Flooring<br>e.g. Pergo              | Any hard, flat<br>surface (not<br>carpet)                                    | Easy DIY install as click-lock floating floor.                        | (No glue) click<br>lock, glued ton-<br>gue & groove,<br>lock & fold | Float over any<br>material except<br>carpet            | Easy to clean,<br>avoid spills<br>sitting | Easy to<br>maintain, highly<br>resists scuffs,<br>scratches, stains   | Sweep, vacuum,<br>remove hard<br>stains w/acetone                       | Indoor<br>controlled<br>climate, dry                       |
| Vinyl Sheet<br>Flooring                         | Any hard, flat<br>surface (not<br>carpet)                                    | Easy DIY install<br>as click-lock/<br>sheet not as easy               | Vinyl<br>adhesive   | Float over any<br>material except<br>carpet            | Easy to clean                             | Very low<br>maintenance   | Sweep, vacuum, mop  | Indoor<br>controlled<br>climate, dry                       |
| Vinyl Tile Flooring (regular & VCT)             | Any hard, flat<br>surface (not<br>carpet)                                    | Easy DIY install<br>click-lock or<br>peel & stick                     | Click lock, vinyl<br>adhesive, peel &<br>stick                      | Float over any<br>material except<br>carpet            | Easy to clean                             | Very low<br>maintenance   | Sweep, vacuum,<br>mop, (VCT)<br>refinish                                | Indoor<br>controlled<br>climate, dry                       |
| Luxury Vinyl Tile (LVT)                         | Any hard, flat<br>surface (not<br>carpet)                                    | Easy DIY install<br>click-lock or<br>adhesive                         | Click lock, vinyl<br>adhesive, peel &<br>stick                      | Float over any<br>material except<br>carpet            | Easy to clean                             | Very low<br>maintenance   | Sweep, vacuum,<br>mop, refinish<br>periodically                         | Indoor<br>controlled<br>climate, dry                       |
| NuCore  | Any hard, flat<br>surface (not<br>carpet)                                    | Easy DIY drop<br>lock installation                                    | Click lock  | Float over any material except carpet                  | Easy to clean                             | Very low<br>maintenance   | Sweep, vacuum, mop  | Indoor<br>controlled<br>climate                            |
| Linoleum<br>Flooring                            | Any hard, flat<br>surface (not<br>carpet)                                    | Easy DIY click<br>lock installation/<br>sheet not as easy             | Glue down<br>sheets, click<br>lock planks/tiles                     | Float over any<br>material except<br>carpet            | Easy to clean                             | low maint but<br>needs sealing<br>unlike vinyl                        | Sweep, vac, mop<br>refinish/seal<br>periodically                        | Indoor<br>controlled<br>climate                            |
| Ceramic Tile<br>Flooring                        | Plywood,<br>concrete or 1<br>layer of vinyl                                  | Not easy to<br>install, best done<br>by professional                  | Adhesive,<br>mortar   | Can be floated<br>w/tile trays, over<br>all but carpet | Very easy<br>to clean                     | Very low<br>maintenance   | Sweep, vacuum,<br>mop, refinish<br>periodically                         | Indoor & outdoor   |
| Porcelain Tile Flooring                         | Plywood,<br>concrete or 1<br>layer of vinyl                                  | Not easy to<br>install, best done<br>by professional                  | Adhesive,<br>mortar   | Can be floated<br>w/tile trays, over<br>all but carpet | Very easy<br>to clean                     | Very low<br>maintenance   | Sweep, vacuum,<br>mop, refinish<br>periodically                         | Indoor & outdoor   |
| Stone Tile<br>Flooring                          | Plywood,<br>concrete or 1<br>layer of vinyl                                  | Not easy to<br>install, best done<br>by professional                  | Adhesive,<br>mortar   | Can be floated<br>w/tile trays, over<br>all but carpet | Very easy<br>to clean                     | Very low<br>maintenance   | Sweep, mop,<br>vacuum, reseal<br>periodically                           | Indoor & outdoor   |
| Carpet  | Any hard, flat<br>surface for<br>subfloor                                    | Wall to wall best<br>done by<br>professional                          | Staple, adhesive, tack strips                                       | Float over any<br>material                             | Most difficult to clean                   | Least easy to maintain  | Vacuum & shampoo  | Indoor control<br>climate & screen<br>rooms                |
| Polished<br>Concrete                            | No<br>subfloor   | Not DIY, high<br>skill & special<br>equipment                         | Polished with diamond pads & emulsifiers                            | Not a floating floor                                   | Very easy to clean                        | Most easy<br>to maintain  | Sweep & mop   | Indoor & outdoor   |
| Terrazzo<br>Cement/<br>Aggretex                 | Concrete<br>subfloor   | Not DIY, highly skilled   | Décor layer laid<br>on cement slab,<br>ground, polished             | Not a floating floor                                   | Very easy to clean                        | Most easy<br>to maintain  | Sweep & mop   | Indoor & outdoor   |
| Rubber Tile                                     | Any hard, flat<br>surface for<br>except carpet                               | Easy DIY installation   | Locking fit tiles, adhesive   | Float over any material                                | Very easy to clean                        | Very easy to clean  | Sweep, vacuum,<br>mop, avoid<br>acetone cleaners                        | Indoor & outdoor   |
| Epoxy (solid,<br>solvent based,<br>water based) | Concrete floor<br>free of oil,<br>grease, residue                            | Labor intensive<br>but possible to<br>DIY (like paint)                | Epoxy is applied just like paint                                    | Not a floating floor                                   | Very easy to clean                        | Very easy to clean  | Sweep, vacuum, mop  | Indoor over<br>concrete with<br>low moisture               |
| Plastic Tile                                    | Any flat surface including carpet  | Easy DIY installation   | Locking fit tiles   | Float over any<br>material<br>including carpet         |   | Very easy to clean  | Sweep, vacuum, mop  | Indoor & outdoor   |

|   | Water   | Humidity  | Resists   | VOC(harm-   | Can be   | Color  | Durability  | Child  |
|---|---|---|---|---|--|--|---|--|
|   | resistant   | resistant   | mold &  | ful vapors)                                       | refinished   | can be   |   | & pet  |
|   | (spills)  |   | allergens   | Air Quality                                       |  | changed  |   | friendly   |
| Solid<br>Hardwood<br>Flooring                   | Standing water<br>can damage; site<br>finish protects     | High humidity can cause gaps & warping            | very hygienic-<br>resists mold &<br>allergens         | Use water based<br>finish for best<br>air quality | Can be refinished many times                           | Color can be changed when refinishing                | Mostly very<br>durable, depends<br>on wood species      | Pet urine & claws can damage                           |
| Engineered<br>Wood<br>Flooring                  | Standing water can damage                                 | Highly resistant<br>to humidity;<br>doesn't warp  | very hygienic-<br>resists mold &<br>allergens         | Low quality<br>products can<br>have VOC issue     | Depends on<br>thickness of top<br>layer                | Depends on if it can be refinished -some cannot      | Varies widely;<br>mostly less durable<br>than hardwood  | Pet urine & claws can damage                           |
| Solid<br>Bamboo<br>Flooring                     | Standing water can damage                                 | Susceptible to<br>warping by high<br>humidity     | very hygienic-<br>resists mold &<br>allergens         | VOC's are<br>concern in low<br>quality products   | Can refinish<br>several times if<br>thick enough       | Can change stain<br>color when<br>refinishing        | Very durable,<br>harder than most<br>wood               | Child & pet<br>friendly with<br>proper care            |
| Engineered /<br>Strand Woven<br>Bamboo          | Standing water can damage                                 | Highly resistant<br>to humidity                   | very hygienic-<br>resists mold &<br>allergens         | VOC's are<br>concern in low<br>quality products   | Can refinish<br>several times if<br>thick enough       | Can change stain color when refinishing              | Very durable,<br>more than solid<br>bamboo & wood       | Child & pet<br>friendly with<br>proper care            |
| Cork<br>Flooring                                | Water resistant;<br>still site finish<br>floor to protect | High humidity<br>can cause to<br>swell or curl    | very hygienic-<br>resists mold &<br>allergens         | No VOC's in<br>cork/ use water<br>based finish    | Reseal every 1-5<br>years, refinish<br>every 5-7 years | Can't change<br>color but can be<br>painted          | Very durable if<br>high quality<br>finish               | Soft, warm,wipe<br>spills ASAP, site<br>finish is best |
| Laminate<br>Flooring<br>e.g. Pergo              | Standing water can damage                                 | High humidity<br>can cause to<br>swell or warp    | very hygienic-<br>resists mold &<br>allergens         | Can have VOC,<br>check for<br>certifications      | Can't be refinished                                    | Can't change<br>color but can be<br>painted          | Typically more<br>durable than<br>wood (rated 1-5)      | Hard but stands<br>up to rough play<br>& claws         |
| Vinyl Sheet<br>Flooring                         | Water resistant,<br>good for bath-<br>room/basement       | Highly resistant<br>to humidity                   | very hygienic-<br>resists mold &<br>allergens         | VOC's possible,<br>check<br>certifications        | Vinyl with photo<br>layer can't be<br>refinished       | Can't change<br>color but can be<br>painted          | Moderate<br>durability, can<br>gouge                    | Easy clean,<br>resists spills,<br>stains, resilient    |
| Vinyl Tile Flooring (regular & VCT)             | Water resistant,<br>good for bath-<br>room/basement       | Highly resistant to humidity                      | very hygienic-<br>resists mold &<br>allergens         | VOC's possible,<br>check<br>certifications        | Only VCT &<br>LVT can be<br>refinished                 | Can't change<br>color but can be<br>painted          | Moderate<br>durability, can<br>gouge                    | Easy clean,<br>resists spills,<br>stains, resilient    |
| Luxury Vinyl Tile (LVT)                         | Water resistant,<br>good for bath-<br>room/basement       | Highly resistant<br>to humidity                   | very hygienic-<br>resists mold &<br>allergens         | VOC's possible,<br>check<br>certifications        | LVT can be refinished                                  | Can't change<br>color but can be<br>painted          | Very durable,<br>more than<br>regular vinyl             | Easy clean,<br>resists spills,<br>stains, resilient    |
| NuCore  | Claims 100%<br>waterproof                                 | Highly resistant<br>to humidity                   | very hygienic-<br>resists mold &<br>allergens         | Floorscore<br>certified for low<br>VOC's          | Can't be refinished                                    | Can't change<br>color but can be<br>painted          | Very durable,<br>like laminate but<br>waterproof        | Hard, very<br>scratch resistant,<br>waterproof         |
| Linoleum<br>Flooring                            | Water resistant<br>not water proof<br>(less than vinyl)   | Highly resistant<br>to humidity                   | very hygienic-<br>resists mold &<br>allergens         | No VOC's  | Some refinished<br>every 2 years to<br>restore shine   | Can't change<br>color but can be<br>painted          | Moderate<br>durability, seal<br>periodically            | Easy clean,<br>resists spills,<br>stains, resilient    |
| Ceramic Tile<br>Flooring                        | Low/moderate<br>water resistance                          | Highly resistant<br>to humidity                   | very hygienic-<br>resists mold &<br>allergens         | No VOC's  | Can be refinished & reglazed                           | Can't change<br>color but can be<br>painted          | Moderate<br>durability                                  | Child & pet<br>durable but hard<br>& can get cold      |
| Porcelain Tile Flooring                         | High water<br>resistance, used<br>for shower stalls       | Highly resistant<br>to humidity                   | very hygienic-<br>resists mold &<br>allergens         | No VOC's  | Can be refinished & reglazed                           | Can't change<br>color but can be<br>painted          | High durability,<br>more than<br>ceramic                | Child & pet<br>durable but hard<br>& can get cold      |
| Stone Tile<br>Flooring                          | Resists water but<br>must be sealed<br>every 3-5 years    | Resists humidity - must be sealed every 3-5 years | very hygienic-<br>resists mold &<br>allergens         | No VOC's  | Can be polished,<br>refinished &<br>resealed           | Can't change<br>color but can be<br>painted          | Some stone is<br>the most durable<br>type of flooring   | Soft & warm but<br>harder to clean<br>& less hygienic  |
| Carpet  | Not water<br>resistant,<br>absorbs water                  | Humidity can cause carpet to buckle               | Can be a haven<br>for dirt, mold,<br>mites, allergens | Holds VOC's<br>from synthetics,<br>glue, cleaners | Can't be<br>refinished, can<br>be steam cleaned        | Carpet can be<br>dyed to change<br>color             | Most carpets are rated 1-5 on durability. Best is wool. | Soft/comfortable<br>but can be hard<br>to clean        |
| Polished<br>Concrete                            | Highly resistant<br>to spills, even<br>harsh chemicals    | Highly resistant to humidity                      | very hygienic-<br>resists mold &<br>allergens         | No VOC's  | Can be both<br>polished or<br>resurfaced               | Can be restained<br>or resurfaced<br>(add new layer) | Very<br>durable   | Hard & cold<br>but very<br>durable                     |
| Terrazzo<br>Cement/<br>Aggretex                 | Highly resistant<br>to spills, even<br>harsh chemicals    | Highly resistant to humidity                      | very hygienic-<br>resists mold &<br>allergens         | No VOC's  | Can be refinished but not easily                       | Can be restained<br>& refinished                     | Very<br>durable   | Hard & cold<br>but very<br>durable                     |
| Rubber Tile                                     | Highly resists<br>spills but water<br>can get between     | Highly resistant to humidity                      | very hygienic-<br>resists mold &<br>allergens         | Install non<br>adhesive type to<br>avoid VOC's    | Rubber floor<br>finish & sealer is<br>available        | Can't change<br>color but can be<br>painted          | Very<br>durable   | Soft, warm,<br>durable, stain<br>resistant             |
| Epoxy (solid,<br>solvent based,<br>water based) | Highly resistant<br>to spills, even<br>harsh chemicals    | Highly resistant to humidity                      | very hygienic-<br>resists mold &<br>allergens         | Some claim zero<br>VOC's (esp<br>water based)     | Epoxy has to be reapplied to refinish                  | Have to recoat<br>epoxy to change<br>color           | Very<br>durable   | Hard & cold but<br>very durable,<br>stain/spill resist |
| Plastic Tile                                    | Highly resists<br>spills but water<br>can get between     | Highly resistant to humidity                      | very hygienic-<br>resists mold &<br>allergens         | VOC's can be present with plasics                 | Can be buffed (not refinished)                         | Can't change<br>color but can be<br>painted          | Very<br>durable   | Durable, stain<br>resistant, easy to<br>clean          |

|   | Easy to<br>Repair/<br>replace                        | Easy to clean   | Stain<br>resistant                                   | UV fade<br>resistance                              | Resists<br>scratches                                    | Long term appearance   | Longevity/<br>average life                                     | Sound<br>proof   |
|---|--|---|--|--|---|--|--|--|
| Solid<br>Hardwood<br>Flooring                   | Minor damage<br>easy; can replace<br>damaged section | Easy to clean   | Finish helps but<br>spills should be<br>cleaned ASAP | Can fade;<br>depends on<br>finish                  | Wood with<br>strong grain<br>hides scratches            | Overall<br>excellent & can<br>be refinished                  | Can last a<br>lifetime: 70-100<br>years                        | Not sound proof<br>like floating<br>engineered floor           |
| Engineered<br>Wood<br>Flooring                  | Yes if refinishing is possible, otherwise no         | Easy to clean   | Finish helps but<br>spills should be<br>cleaned ASAP | Can fade;<br>depends on<br>finish                  | Wood with<br>strong grain<br>hides scratches            | Similar to<br>hardwood as<br>long as it can be<br>refinished | Lower quality<br>20 –30 years/<br>high quality 40-<br>80 years | Sound proof on<br>floating floor<br>with sound<br>barrier      |
| Solid<br>Bamboo<br>Flooring                     | Easy to replace<br>boards on<br>floating floor       | Easy to clean   | Very stain<br>resistant, harder<br>than most wood    | Can fade<br>overtime                               | Resists scratches<br>a little better<br>than most wood  | Overall excellent & can be refinished                        | High quality<br>bamboo can last<br>as long as wood             | Sound proof on<br>floating floor<br>with sound<br>barrier      |
| Engineered &<br>Strand Woven<br>Bamboo          | Easy to replace<br>boards on<br>floating floor       | Easy to clean   | Very stain<br>resistant, harder<br>than most wood    | Can fade<br>overtime                               | Resists scratches<br>a little better<br>than most wood  | Overall<br>excellent & can<br>be refinished                  | High quality<br>bamboo can last<br>as long as wood             | Sound proof on<br>floating floor<br>with sound<br>barrier      |
| Cork<br>Flooring                                | Not difficult to replace cork tiles                  | Easy to clean   | Stain resistant<br>esp. with onsite<br>finish        | Can fade overtime                                  | Can scratch but good finish protects                    | Overall<br>excellent & can<br>be refinished                  | Can last up to 50+ years                                       | Insulates & reduces sound                                      |
| Laminate<br>Flooring<br>e.g. Pergo              | Easy to replace planks                               | Easy to clean   | Very stain resistant                                 | Best laminates<br>more UV resist-<br>ant than wood | Best laminates<br>resists scratches<br>better than wood | Overall<br>excellent but no<br>refinishing                   | 10-30 years,<br>most last 15-25                                | Sound proof on<br>floating floor<br>with sound<br>underlayment |
| Vinyl Sheet<br>Flooring                         | Easy to repair<br>sheets w/kit                       | Easy to clean   | Very stain resistant                                 | Very UV resistant                                  | Moderately scratch resistant                            | Overall excellent but no refinishing                         | 10-20<br>years   | Foam or cork<br>underlayment<br>reduces sound                  |
| Vinyl Tile Flooring (regular & VCT)             | Easy to repair,<br>replace tiles                     | Easy to clean   | Very stain resistant                                 | Very UV resistant                                  | Moderately<br>scratch resistant                         | Overall<br>excellent (can<br>refinish VCT)                   | 10-20<br>years   | Foam or cork<br>underlayment<br>reduces sound                  |
| Luxury Vinyl Tile (LVT)                         | Easy to repair, replace tiles                        | Easy to clean   | Very stain resistant                                 | Very UV resistant                                  | Protective layer<br>highly resistant<br>to scratches    | Overall<br>excellent & can<br>be refinished                  | 20-40<br>years   | Foam or cork<br>underlayment<br>reduces sound                  |
| NuCore  | Easy to replace tiles                                | Easy to clean   | Very stain resistant                                 | More UV<br>resistant than<br>wood                  | Protective layer<br>highly resistant<br>to scratches    | Overall excellent but no refinishing                         | 10-30<br>years   | Sound proof on<br>floating floor<br>with sound<br>underlayment |
| Linoleum<br>Flooring                            | Easy to repair<br>sheets w/kit / EZ<br>replace tiles | Easy to clean   | Very stain resistant                                 | Has UV factory<br>finish                           | Moderately scratch resistant                            | Overall<br>excellent, can<br>refinish/seal                   | 20-40 years if<br>sealed<br>periodically                       | Sound proof on<br>floating floor<br>with sound<br>underlayment |
| Ceramic Tile<br>Flooring                        | Not easy to replace adhered tiles                    | Easy to clean   | Low/moderate,<br>rated 1-5 by<br>product             | Permanent<br>baked in color-<br>no fading          | Moderately<br>scratch resistant                         | Overall<br>excellent, can<br>refinish/glaze                  | 50 years   | Sound proof on<br>floating floor<br>with sound<br>underlayment |
| Porcelain Tile Flooring                         | Not easy to replace adhered tiles                    | Easy to clean   | Moderate/High,<br>rated 1-5 by<br>product            | Permanent<br>baked in color-<br>no fading          | Highly scratch resistant                                | Overall<br>excellent, can<br>refinish/glaze                  | Can last lifetime<br>with proper in-<br>stallation & care      | Sound proof on<br>floating floor<br>with sound<br>underlayment |
| Stone Tile<br>Flooring                          | Not easy to replace adhered tiles                    | Easy to clean   | Stain resistant if grout & stone are sealed          | Some types can fade                                | Some extremely resistant:Granite ,marble, slate         | Appearance often improves with age                           | Can last lifetime<br>with proper in-<br>stallation & care      | Sound proof on<br>floating floor<br>with sound<br>underlayment |
| Carpet  | Not easy to repair, replace                          | Least easy type<br>of floor to clean<br>& keep hygienic | Stains<br>relatively<br>easily                       | Carpet can fade                                    | N/A   | Tends to look<br>worse over long<br>term                     | At least 10 years  | Carpet's a good<br>insulator,<br>soundproof                    |
| Polished<br>Concrete                            | Can be fixed w/fillers, restain & repolishing        | Easy to clean   | Highly resists<br>stains but still<br>possible       | Use fade resistant dyes                            | Can scratch,<br>buff & refinish<br>renews surface       | Can get worn<br>but can be<br>refinished                     | 100+ years<br>properly<br>maintained                           | Relatively sound proof   |
| Terrazzo<br>Cement/<br>Aggretex                 | Can be fixed w/fillers, restain & repolishing        | Easy to clean   | Highly resists<br>stains but still<br>possible       | Can fade, use<br>UV resistant<br>sealer            | Can scratch,<br>buff & refinish<br>renews surface       | Can get worn<br>but can be<br>refinished                     | 75-100 + years   | Relatively sound proof   |
| Rubber Tile                                     | EZ repair path<br>kit & easy to<br>replace tiles     | Easy to clean   | Highly resists stains                                | Can fade in direct sunlight                        | Surface can dull<br>by abrasives,<br>can refinish       | Overall<br>excellent, can<br>refinish/seal                   | Can last 20+<br>years  | Soft, quiet & soundproof                                       |
| Epoxy (solid,<br>solvent based,<br>water based) | Epoxy can be recoated so long it's not peeling       | Easy to clean   | Highly resists stains                                | Can fade/turn<br>color in direct<br>sunlight       | Most epoxy<br>coatings are very<br>scratch resistant    | Not as long<br>lasting as other<br>floor types               | Usually needs to<br>be recoated<br>every 3-5 years             | Doesn't help<br>soundproof                                     |
| Plastic Tile                                    | Easy to replace<br>tiles                             | Easy to clean   | Highly resists stains                                | Can fade/turn<br>color in direct<br>sunlight       | Moderately scratch resistant                            | Some surfaced<br>with refinish-<br>abl vinyl                 | 10-30 years  | Can install with soundproof underlayment                       |

|   | Best for which rooms  | Eco friendly/<br>sustainable<br>source                            | Warmth,<br>feel, comfort,<br>resilience                               | Available<br>length &<br>width                                  | Thickness   | Used for<br>radiant<br>heat/solar                                    | Resale value   | Manufacturer<br>Structural<br>Warranty                      |
|---|---|---|---|---|---|--|--|---|
| Solid<br>Hardwood<br>Flooring                   | Bedroom, living,<br>dining; areas of<br>low moisture or<br>humidity   | If certified by<br>FSC or SFI, no<br>chemicals used<br>to process | Hard & solid<br>underfoot, can<br>get cold                            | 1.5"- 8" wide x<br>48"-84" long<br>planks                       | Typical 3/4", but also .375"75"                             | Only certain<br>woods are suited<br>like ash, cherry,<br>maple & oak | Increases resale value   | Some 25-50<br>years w/proper<br>install &<br>moisture level |
| Engineered<br>Wood<br>Flooring                  | Same as<br>hardwood plus<br>kitchens, &<br>basements                  | If certified by<br>FSC or SFI;                                    | Hard & solid<br>underfoot, can<br>get cold (good<br>for radiant heat) | 2.25"-7" wide x<br>12"-85" long                                 | 8mm-15mm/<br>thickness of top<br>layer is most<br>important | Many are<br>suitable for<br>radiant heat                             | Can increase<br>resale value as it<br>appears like<br>solid hardwood | Some 25-50<br>years w/proper<br>install &<br>moisture level |
| Solid<br>Bamboo<br>Flooring                     | Bedroom, living,<br>dining; areas of<br>low moisture or<br>humidity   | Yes, grows very<br>quickly. Mostly<br>though shipped<br>from Asia | Hard & solid<br>underfoot, can<br>get cold                            | Varies alot-<br>Common 5 1/8"<br>x 36" or 72"                   | Varies, common ½", 3/8", 5/8"                               | Generally not<br>for radiant heat,<br>check warranty                 | Increases resale value   | Many offer 15-<br>50 years<br>warranty                      |
| Engineered/<br>Strand Woven<br>Bamboo           | Any climate<br>controlled room/<br>Dry, above<br>grade rooms          | Yes, grows very<br>quickly. Mostly<br>though shipped<br>from Asia | Hard & solid<br>underfoot, can<br>get cold                            | Varies alot-<br>Common 5 1/8"<br>x 36" or 72"                   | Varies, common ½", 3/8", 5/8"                               | Some radiant<br>heat suitable but<br>check warranty                  | Increases resale value   | Many offer 15-<br>50 years<br>warranty                      |
| Cork<br>Flooring                                | Any climate<br>controlled area,<br>above or below<br>grade            | Very ecofriendly<br>;sustainable<br>source                        | Comfortable,<br>resilient, retains<br>heat                            | 12"x12" (24" or 36") Planks or tiles/                           | 6-13mm, 5/16", ½"   | Suitable for radiant heat  | Can increase<br>value being eco<br>friendly,warm,<br>durable         | Most offer 15<br>years warranty                             |
| Laminate Flooring e.g. Pergo                    | Any climate<br>controlled area,<br>above or below<br>grade            | No trees cut but<br>material is non<br>recyclable                 | Hard underfoot<br>but can feel &<br>sound artificial                  | Tiles, or Planks<br>Length: 47"-49"<br>Width: 5"-7"             | 6mm-<br>15mm  | Many are<br>suitable for<br>radiant heat                             | Doesn't help<br>much to increase<br>resale value                     | 15-30 year<br>warranties<br>common                          |
| Vinyl Sheet<br>Flooring                         | Any climate<br>controlled area,<br>above or below<br>grade            | Not at all<br>considered as<br>eco friendly                       | Soft,<br>comfortable,<br>resilient                                    | 6', 12', 13.2'<br>width x any<br>length                         | 2-5mm   | Suitable for radiant heat  | Doesn't help<br>much to increase<br>resale value                     | 1-25 years<br>warranties<br>common                          |
| Vinyl Tile Flooring (regular & VCT)             | Any climate<br>controlled area,<br>above or below<br>grade            | Not at all<br>considered as<br>eco friendly                       | Soft,<br>comfortable,<br>resilient                                    | 9", 12", 18"<br>square tiles/ 4'-<br>6' x 6"-9" wide<br>planks  | 2-5mm   | Suitable for radiant heat  | Doesn't help<br>much to increase<br>resale value                     | 1-25 years<br>warranties<br>common                          |
| Luxury Vinyl Tile (LVT)                         | Any climate<br>controlled area,<br>above or below<br>grade            | Not at all<br>considered as<br>eco friendly                       | Soft,<br>comfortable,<br>resilient                                    | 9", 12", 18"<br>square tiles/ 4'-<br>6' x 6"-9" wide<br>planks  | 2-8mm   | Suitable for radiant heat  | Doesn't help<br>much to increase<br>resale value                     | 10 to 30 year<br>warranties<br>common                       |
| NuCore  | Any climate con<br>trolled area, be-<br>low/above grade               | No info by<br>seller- Floor &<br>Decor                            | Hard underfoot<br>but can feel &<br>sound artificial                  | 6"-7" x 48"   | 5.5-6.5<br>mm   | Suitable for radiant heat  | Doesn't help<br>much to increase<br>resale value                     | 15-25 years<br>warranty                                     |
| <u>Linoleum</u><br><u>Flooring</u>              | Any climate<br>controlled area,<br>above or below<br>grade            | Very ecofriend,<br>renewable &<br>biodegradable                   | Made of<br>renewable tree<br>bark                                     | 6'&12' Sheets,<br>12" & 18"<br>square tiles, 5"+<br>x48" planks | 2-3mm   | Suitable for radiant heat  | Doesn't help<br>much to increase<br>resale value                     | Most 5-15 years<br>warranty                                 |
| Ceramic Tile<br>Flooring                        | Anywhere including bath & exterior areas                              | Very ecofriendly  | Hard<br>underfoot,<br>can get cold                                    | Most 12"&16"<br>square tiles, also<br>4,6,8,13, 18,24"          | 3/8"-1/2"   | Ideal for radiant<br>heat  | Increases resale value   | Most 3-10 years<br>warranty                                 |
| Porcelain Tile Flooring                         | Anywhere including bath & exterior areas                              | Very ecofriendly  | Hard<br>underfoot,<br>can get cold                                    | 6" x 6", 12" x 12",<br>16" x 16" or 24" x<br>24" + more         | 3/8"-1/2"   | Ideal for radiant<br>heat  | Increases resale value   | Most 3-10 years warranty                                    |
| Stone Tile<br>Flooring                          | Anywhere including bath & exterior areas                              | Very ecofriendly  | Hard<br>underfoot,<br>can get cold                                    | 6" x 6", 12" x 12",<br>16" x 16" or 24" x<br>24" + more         | 3/8"-1/2"   | Ideal for radiant<br>heat  | May or may not<br>help increase<br>resale value                      | Most 3-10 years<br>warranty                                 |
| Carpet  | Any climate<br>controlled area,<br>above or below<br>grade (not bath) | Some like wool<br>are ecofriendly                                 | Soft,comfort-<br>able, keeps<br>warmth when<br>cold                   | 12', 13.5', 15'<br>rolls + many<br>area rug sizes               | 1/4", 1/2",<br>3/4"   | Suitable but may<br>reduce<br>efficiency                             | Doesn't help<br>much to increase<br>resale value                     | Most 10-15<br>years warranty                                |
| Polished<br>Concrete                            | High traffic<br>public places,<br>any room                            | Very eco<br>friendly &<br>sustainable                             | Hard, can<br>get cold   | One layer covers<br>whole room                                  | 4 inch slab   | Radiant heat can<br>be installed at<br>concrete pouring              | Increases resale value   | Some 10-20<br>years warranty                                |
| Terrazzo<br>Cement/<br>Aggretex                 | Kitchen, bath,<br>basement,<br>anywhere                               | Very eco<br>friendly &<br>sustainable                             | Hard, can get cold  | One layer covers<br>whole room                                  | Terrazo 3/8" /<br>Aggretex 2<br>inches ocer slab            | Radiant heat can<br>be installed at<br>concrete pouring              | Increases resale value   | 1-3 years<br>warranty                                       |
| Rubber Tile<br>/sheet                           | Bath, kitchen,<br>garage, exercise<br>room, basement                  | Considered sustainable & eco friendly                             | Warm, soft,<br>comfortable  | 23"x23", 2'x2',<br>3'x3', 4'x4'                                 | 1/4" – 1/2"   | Not suitable for radiant heat  | Doesn't help to increase resale value                                | 1, 5 year, up to<br>15 years<br>warranty                    |
| Epoxy (solid,<br>solvent based,<br>water based) | Anywhere with concrete: usually garage/basement                       | Water based/low<br>voc epoxies<br>relatively eco+                 | Hard, can get cold  | N/A (it's painted on)   | N/A (it's painted on)                                       | Radiant heated<br>concrete can be<br>coated w/epoxy                  | Doesn't help to increase resale value                                | Some products<br>offer 1-2 years<br>warranty                |
| Plastic Tile                                    | Garage,<br>basement,<br>fitness room                                  | Plastic not at all<br>considered as<br>eco friendly               | Both hard & soft<br>plastic tiles<br>available                        |   | 3mm-1 5/8"  | 9"-20"   | Doesn't help to increase resale value                                | 5, 10, 20 year<br>warranties                                |